A few things a climate scientist would like to tell policymakers

Prof. Jean-Pascal van Ypersele

IPCC Vice-Chair, (Université catholique de Louvain, Louvain-la-Neuve, Belgium),

www.ipcc.ch & www.climate.be vanyp@climate.be

Forum international de la Météo, Paris, 23-10-2009

NB. The support from the Belgian Science Policy Office is gratefully acknowledged

Outline

Here is a set source of information

- Hereichter Steinen Steinen
- **K** The problem is serious
- **Beep emissions reductions are needed**
- **So is adaptation, particularly in developing** countries, and this needs money
- **# Elements of solutions are at hand**
- **#** Technology is important, but not sufficient
- **#** Change is affordable, and offers co-benefits
- **K** The economic crisis could offer opportunities to tackle CC: orient the stimulus packages
- **# A deal in Copenhagen is essential**

Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)

2500+ SCIENTIFIC EXPERT REVIEWERS 800+ CONTRIBUTING AUTHORS AND 450+ LEAD AUTHORS FROM 130+ COUNTRIES 6 YEARS WORK 1 REPORT







Bali action plan (december 2007): IPCC is *the* reference

The Conference of the Parties,

- **K** (...) Responding to the findings of the Fourth Assessment Report of the Intergovernmental Panel on Climate Change that warming of the climate system is unequivocal, and that delay in reducing emissions significantly constrains opportunities to achieve lower stabilization levels and increases the risk of more severe climate change impacts,
- **Recognizing** that deep cuts in global emissions will be required to achieve the ultimate objective of the Convention and emphasizing the urgency (NOTE 1) to address climate change as indicated in the Fourth Assessment Report of the IPCC,
- 1. Decides to launch a comprehensive process to enable the full, effective and sustained implementation of the Convention through long-term cooperative action, now, up to and beyond 2012, in order to reach an agreed outcome and adopt a decision at its fifteenth session, by addressing, inter alia: ...
- Note 1: Contribution of Working Group III to the Fourth Assessment Report of the IPCC, Technical Summary, pages 39 and 90, and Chapter 13, page 776.

What does IPCC tell us about climate science?


#WG1: climatology

Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)

Key points from the WG1 IPCC AR4 Report

- **Warming of the climate system is unequivocal**
- Kery high confidence that net effect of human activities since 1750 = warming
- Hast 50 years likely to be highest temperature in at least last 1300 yrs
- Host of this warming is very likely (90%) due to increase in human greenhouse gases
- Without emission reduction policies, global temperature could increase by 1.1 to 6.4 C, or even higher in 2100 compared to 1990
- **Sea level could increase by 18 to 59 cm, or more, by 2100**
- Frequency/intensity of several extreme phenomena due to increase (ex: heat waves, droughts, floods, ...)


Cycle du carbone



vanyp@climate.be

Unités: GtC (milliards de tonnes de carbone) ou GtC/an

Cycle du carbone




Unités: GtC (milliards de tonnes de carbone) ou GtC/an

vanyp@climate.be

Source: IPCC, AR4 (2007)

Climate projections without mitigation




Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)

What does IPCC tell us about impacts and adaptation?


#WG2: Impacts, Vulnerability, and adaptation

Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)

Water at the end of the 21st century for SRES A1B



Effects on Nile delta: 10 M people above 1m



(Time 2001)


20% - 30% of plants and animals species at increased risk of extinction

if ΔT 1.5°C - 2.5°C (above 1990 temperature)







IPCC 2001:



Reasons for concern (TAR-2001)



Reasons for concern (Smith et al, 2009, PNAS, based on AR4-2007)



What does IPCC tell us on mitigation?

#WG3: Mitigation

Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)

Stabilisation levels and equilibrium global mean temperatures






Figure SPM 8: Stabilization scenario categories as reported in Figure SPM.7 (coloured bands) and their relationship to equilibrium global mean temperature change above pre-industrial, using (i) "best estimate" climate sensitivity of 3 °C (black line in middle of shaded area), (ii) upper bound of likely range of climate sensitivity of 4.5 °C (red line at top of shaded area) (iii) lower bound of likely range of climate sensitivity of 2 °C (blue line at bottom of shaded area). Coloured shading shows the concentration bands for stabilization of greenhouse gases in the atmosphere corresponding to the stabilization scenario categories. The data are drawn from AR4 WGI, Chapter 10.8.

The lower the stabilisation level the earlier global emissions have to go down



Equilibrium global mean temperature increase above pre-industrial (°C)



Long term mitigation (after 2030)

•The lower the stabilization level, the more quickly emissions would need to peak and to decline thereafter

•Mitigation efforts over the next two to three decades will have a large impact on opportunities to achieve lower stabilization levels

Stab level (ppm CO2-eq)	Global Mean temp. increase at equilibrium (°C)	Vear CO2 needs to peak	Reduction in 2050 compared to 2000
445 - 490	2.0 - 2.4	2000 - 2015	-85 to -50
490 - 535	2.4 - 2.8	2000 - 2020	-60 to -30
535 - 590	2.8 - 3.2	2010 - 2030	-30 to +5
590 - 710	3.2-4.0	2020-2060	+10 to ±60
710 - 855	4.0 - 4.9	2050 - 2080	+25 to +85
855 - 1130	4.9 - 6.1	2060 - 2090	+90 to +140

Contribution of Working Group III to the Fourth Assessment Report of the IPCC,

K Chapter 13, page 776:

Box 13.7 The range of the difference between emissions in 1990 and emission allowances in 2020/2050 for various GHG concentration levels for Annex I and non-Annex I countries as a group^a


Scenario category	Region	2020	2050
A-450 ppm CO ₂ -eq ^b	Annex I	–25% to –40%	-80% to -95%
	Non-Annex I	Substantial deviation from baseline in Latin America, Middle East, East Asia and Centrally-Planned Asia	Substantial deviation from baseline in all regions
B-550 ppm CO ₂ -eq	Annex I	-10% to -30%	-40% to -90%
	Non-Annex I	Deviation from baseline in Latin America and Middle East, East Asia	Deviation from baseline in most regions, especially in Latin America and Middle East
C-650 ppm CO ₂ -eq	Annex I	0% to -25%	-30% to -80%
	Non-Annex I	Baseline	Deviation from baseline in Latin America and Middle East, East Asia

Notes:

^a The aggregate range is based on multiple approaches to apportion emissions between regions (contraction and convergence, multistage, Triptych and intensity targets, among others). Each approach makes different assumptions about the pathway, specific national efforts and other variables. Additional extreme cases – in which Annex I undertakes all reductions, or non-Annex I undertakes all reductions – are not included. The ranges presented here do not imply political feasibility, nor do the results reflect cost variances.

^b Only the studies aiming at stabilization at 450 ppm CO₂-eq assume a (temporary) overshoot of about 50 ppm (See Den Elzen and Meinshausen, 2006).

All sectors and regions have the potential to contribute by 2030



Note: estimates do not include non-technical options, such as lifestyle changes.

How can emissions be reduced?

Sector	(Selected) Key mitigation technologies and practices currently commercially available.
Transport	More fuel efficient vehicles; hybrid vehicles; biofuels; modal shifts from road transport to rail and public transport systems ; cycling, walking; land-use planning
Buildings	Efficient lighting; efficient appliances and airco; improved insulation ; solar heating and cooling; alternatives for fluorinated gases in insulation and aplliances

Examples of policies which have shown good results (IPCC 2007)


Sector	Policies 11,measuresandinstrumentsshowntobeenvironmentally effective	Key constraints or opportunities
Transport	Mandatory fuel economy, biofuel blending and CO ₂ standards for road transport	U
	Taxes on vehicle purchase, registration, use and motor fuels, road and parking pricing	Effectiveness may drop with higher incomes
	Influence mobility needs through landuseregulations,andinfrastructure planning	Particularly appropriate for countries that are building up their transportation
	Investment in attractive public transport facilities and non- motorised forms of transport	systems

Depuise RD&D investment in low emission technologies have proven to be effective in all sectors.

Changes in lifestyle and behaviour patterns can contribute to climate change mitigation

- Changes in occupant behaviour, cultural patterns and consumer choice in buildings.
- Reduction of car usage and efficient driving style, in relation to urban planning and availability of public transport
- Staff training, reward systems, regular feedback and documentation of existing practices in industrial organizations

Correlation fuel price/consumption



What are the macro-economic costs in **2030**?

Stabilization levels (ppm CO ₂ -eq)	Median GDP reduction[1] (%)	Range of GDP reduction [2] (%)	Reduction of average annual GDP growth rates 3 (percentage points)
590-710	0.2	-0.6 - 1.2	< 0.06
535-590	0.6	0.2 - 2.5	<0.1
445-535[4]	Not available	< 3	< 0.12

- [1] This is global GDP based market exchange rates.
- [2] The median and the 10th and 90th percentile range of the analyzed data are given.
- 3 The calculation of the reduction of the annual growth rate is based on the average reduction during the period till 2030 that would result in the indicated GDP decrease in 2030.
- [4] The number of studies that report GDP results is relatively small and they generally use low baselines.

There are also co-benefits of mitigation

- Near-term health benefits from **reduced air pollution** may offset a substantial fraction of mitigation costs
- Mitigation can also be positive for: energy security, balance of trade improvement, provision of modern energy services to rural areas and employment
 BUT
- Mitigation in one country or group of countries could lead to higher emissions elsewhere ("carbon leakage") or effects on the economy ("spill-over effects").

In the text that was on the table in Bangkok (October 2009) (FCCC/AWG-LCA/2009/INF.2):

1.31 [To this end, [developed country] parties]..., as a group, [shall][should][reduce their [domestic] GHG emissions][deeply cut their GHG emissions]: (a)[By at least 25-40][By 25-40] [By more than 25-40] [In the order of 30] [By at least 40] [By 45] [By at least 45]% from 1990 levels by [2017] [2020], through domestic and international efforts]....

Conclusion

Hereich is heading towards a climate no human has ever known: we need to adapt

- Significant risks are assessed to be occurring for lower temp. increase than assessed earlier: adaptation (and money) is needed
- # Adaptation has limits and costs: we need to prevent excessive warming (mitigation)

Annex I reductions of 25-40% (1990-2020), and global emissions becoming NEGATIVE around 2070 deliver increase under 2°C only IF we are very lucky: the challenge is much bigger than assessed earlier

Conclusion

- **We are heading towards strong constraints on GHG emissions, in all sectors, but we have to fight inertia, which is particularly large in infrastructure**
- Coherence between different policies (energy, environment, trade, transport, industry, ...) is essential, and offers many opportunities
- **H** Urban and regional planning has a key role to play
- **Costs can be limited, if there is much international collaboration**
- 🔀 Where there is a will, there is a way

Web sites...

%www.ipcc.ch : IPCC full reports and SPM %www.climate.be/jcm Interactive model (developed at UCL with support of Belgian Science Policy Office)

% www.climate.be/vanyp: my web page with many of my slides

> Jean-Pascal van Ypersele (vanypersele@astr.ucl.ac.be)