

Climate Change: the IPCC view



Prof. Jean-Pascal van Ypersele

**IPCC Vice-Chair,
(Université catholique de Louvain, Louvain-la-Neuve,
Belgium),**

**www.ipcc.ch & www.climate.be
vanyp@climate.be**

**Credits: many slides borrowed with gratitude from IPCC
colleagues: R. Christ, RK Pachauri, S. Solomon, J. Palutikof,
J. Stone, or prepared by Ph. Marbaix & B. Gaino**

UNFCCC training for media, Bonn, 7 June 2010

**NB: The support of the Belgian Science Policy Office is gratefully
acknowledged**

Why the IPCC ?

Established by WMO and UNEP in 1988

to provide **policy-makers** with an **objective source of information** about

- causes of climate change,
- potential environmental and socio-economic impacts,
- possible response options.



IPCC Working Groups & Task Force

Working Group I - "The Physical Science Basis"

Working Group II - "Impacts, Adaptation and Vulnerability"


Working Group III - "Mitigation of Climate Change"

Task Force on National Greenhouse Gas Inventories

(source: www.ipcc.ch)

IPCC Products

- **Assessment reports** provide a comprehensive picture of the present state of understanding of climate change (1990 – 1995 – 2001 – 2007).
- **Special reports** address and assess a specific issue (e.g. Ozone layer, Land use, Technology transfer, Renewables, Adaptation & extreme events)
- **Methodology reports** provide guidelines for national greenhouse gas inventories and are used by Parties to the UNFCCC to prepare their national communications
- **Technical papers** focus on a specific topic drawing material from other IPCC reports





⌘ Latest science

Jean-Pascal van Ypersele
(vanypersele@astr.ucl.ac.be)

Key messages from the IPCC WG1 Report (1)

⌘ Certain:

- ☑ Emissions resulting from **human activities are substantially increasing** the atmospheric concentrations of the **greenhouse gases**: CO₂, CH₄, CFC, and N₂O

⌘ Calculated **with confidence**:

- ☑ Under the business as usual scenario, **temperature will increase by about 3°C by 2100** (uncertainty range: 2 to 5°C), and **sea level will increase by 60 cm** (uncertainty range: 30 to 100 cm)

Key messages from the IPCC WG1 Report (2)

- ⌘ With an increase in the mean temperature, **episodes of high temperature** will most likely become **more frequent**
- ⌘ Rapid changes in climate will change the composition of ecosystems; **some species** will be unable to adapt fast enough and **will become extinct.**
- ⌘ Long-lived gases (**CO₂**, N₂O and CFCs) **would require immediate reduction** in emissions from human activities **of over 60% to stabilise their concentration at today's levels.**

Jean-Pascal van Ypersele
(vanypers@astr.ucl.ac.be)

Oops...



⌘... this was from the IPCC **first** assessment report, published 20 years ago (1990)

⌘ Was anybody really listening?



⌘ **Some Highlights of the IPCC AR4 (2007) Working Group I, II, and III**

Jean-Pascal van Ypersele
(vanypersele@astr.ucl.ac.be)


A Progression of Understanding: Greater and Greater Certainty in Attribution

FAR (1990):
“unequivocal detection
not likely for a decade”


SAR (1995): “balance
of evidence suggests
discernible human
influence”

TAR (2001): “most of
the warming of the
past 50 years is likely
(odds 2 out of 3) due
to human activities”

AR4 (2007): “most of
the warming is very
likely (odds 9 out of 10)
due to greenhouse
gases”



Carbon Cycle at end of 20th century (based on AR4)



Carbon Cycle






Table TS.3. (lower) Examples of global impacts projected for changes in climate (and sea level and atmospheric CO₂ where relevant)




Source: IPCC WGII AR4

Reasons for concern (TAR-2001)

TAR Reasons For Concern



Reasons for concern (Smith et al, 2009, PNAS, based on AR4-2007)



Stabilisation levels and equilibrium global mean temperatures






Figure SPM 8: Stabilization scenario categories as reported in Figure SPM.7 (coloured bands) and their relationship to equilibrium global mean temperature change above pre-industrial, using (i) “best estimate” climate sensitivity of 3 °C (black line in middle of shaded area), (ii) upper bound of likely range of climate sensitivity of 4.5 °C (red line at top of shaded area) (iii) lower bound of likely range of climate sensitivity of 2 °C (blue line at bottom of shaded area). Coloured shading shows the concentration bands for stabilization of greenhouse gases in the atmosphere corresponding to the stabilization scenario categories. The data are drawn from AR4 WGI, Chapter 10.8.

The lower the stabilisation level the earlier global emissions have to go down




Multigas and CO₂ only studies combined

WG I Science Gaps and Questions for AR5

- Trends and rates of observed climate change
Has climate change accelerated?
- Large ice sheets in polar regions
Is the Greenland ice sheet stable?
- Irreversibilities and abrupt change in the climate system
How robust and accurate is our understanding?
- Clouds and aerosols and their feedbacks
What is the forcing uncertainty associated with cloud and aerosol processes?
- Carbon and other biogeochemical cycles
Which carbon cycle feedbacks become relevant in the coming decades?
- Near-term and long-term climate projections
How reliable is decadal prediction, what are the uncertainties beyond 2100?
- Climate phenomena across regions
How do frequencies and amplitudes of monsoon, ENSO, and others change?

Some WGI-related news
(NOT assessed by IPCC yet):
The Physical Science Basis


Temperature anomalies compared to 1961 to 1990 average



Sea Level : a sea of uncertainty (Lowe, 2010)


Crucial question for sea level rise in the twenty-first century is how much ice will be lost from the Greenland and Antarctic ice sheets as a result of rapid accelerations in ice flow

Rate of change of surface elevation for Antarctica and Greenland, (2003-2007)




Source: Pritchard et al. 2009

Estimates of the net mass budget of the Greenland Ice Sheet since 1960




Projections of sea-level rise from 1990 to 2100

based on IPCC temperature projections for three different emission scenarios, and using a statistical model for sea-level



Changes in Arctic sea ice extent from 1979 to 2009



AR5 WG II Major Themes

- Framing to support good decisions, including information on risk
- Better integration of climate science with climate impacts
- Broader range of assessed impacts.
- Climate change in the context of other stresses
- Better treatment of extremes and disasters
- Expanded treatment of adaptation
- Better integration of adaptation, mitigation, and development at different regional scales
- Human settlements, industry, and infrastructure

AR5 Major Sections or “Superchapters”

- Part A: GLOBAL & SECTORAL ASPECTS
 - Context for the AR5
 - Natural and managed resources and systems, and their uses
 - Human settlements, industry, and infrastructure
 - Human health, well-being, and security
 - Adaptation
 - Multi-sector impacts, risks, vulnerabilities, and opportunities
- Part B: REGIONAL ASPECTS
 - With WG I and WG III input and collaboration

Some WGII-related news (NOT
assessed by IPCC yet):
Impacts, Adaptation, and Vulnerability

Examples / Ecosystems: broader coverage

- Erosion of Lizard Diversity
by Climate Change
and Altered Thermal Niches

- Since 1975, we estimate that 4% of local populations have gone extinct worldwide
- by 2080 local extinctions are projected to reach 39% worldwide, and species extinctions may reach 20%.

(B Sinervo and 25 co-authors, Science, May 2010)



Picture : Nature, May 2010

Examples / health

- A study found that cold related mortality in England decreased much faster than heat related mortality increased (over 1976-2005); adaptation played a major role in preventing a larger increase (Christidis et al, Climatic Change, 2009)
- Projected health impacts of heat waves are significantly larger in the mediterranean area (Fischer and Schär, Nature Geoscience 2010)

Other examples / impacts

- Reduced oxygenation of oceans, both due to warming and in connection with acidification, with implications for marine life
(Keeling et al., Ann. Rev. of Marine Science, 2010; Hofman and Schellnhuber, PNAS, 2009)
- Carbon cycle & carbon content of soils :
a study confirms that soil carbon fluxes will increase in a warming climate, but do not provide a conclusion on the net change in C content of soils
(Bond-Lamberty and Thomson, Nature, 2010)

AR5 WG III Outline

I: Introduction

1. Introductory Chapter

II: Framing Issues

2. Integrated Risk and Uncertainty Assessment of Climate Change Response Policies

3. Social, Economic and Ethical Concepts and Methods

4. Sustainable Development and Equity

III: Pathways for Mitigating Climate Change

5. Drivers, Trends and Mitigation

6. Assessing Transformation Pathways

7. Energy Systems

8. Transport

9. Buildings

10. Industry

11. Agriculture, Forestry and Other Land Use (AFOLU)

12. Human Settlements, Infrastructure and Spatial Planning

IV: Assessment of Policies, Institutions and Finance

13. International Cooperation: Agreements and Instruments

14. Regional Development and Cooperation

15. National and Sub-national Policies and Institutions

16. Cross-cutting Investment and Finance Issues

The Research Challenge of WG III

- Low Stabilisation Scenarios which identify the technical and institutional requirements.
- Exploring the costs, benefits and risks of all relevant mitigation options.
- Identifying differential impacts and develop a classification of risks comprising tipping points in the natural environment and also in society.


Some WGIII-related news
(NOT assessed by IPCC yet):
Mitigation

New scenarios:

Representative concentration pathways

All selected from existing literature (but slightly updated)

Wide range of possible futures, including mitigation



RCP8.5 : 8.5 W/m² in 2100,
continue to increase
(proposed :
constant emissions until 2300)

RCP6 : 6 W/m² in 2100,
then stabilisation

RCP4.5 : 4.5 W/m² in 2100,
then stabilisation


RCP3-PD : peak in RF ~3 W/m²,
then decline

SRREN: Special Report on Renewable Energy ³⁸ Sources and Climate Change Mitigation

- 1. Renewable Energy and Climate Change
- 2. Bioenergy
- 3. Direct Solar Energy
- 4. Geothermal Energy
- 5. Hydropower
- 6. Ocean Energy
- 7. Wind Energy
- 8. Integration of Renewable Energy into Present and Future Energy Systems
- 9. Renewable Energy in the Context of Sustainable Development
- 10. Mitigation Potential and Costs
- 11. Policy, Financing and Implementation

Technology
Chapters

Assessing the Solution Space



Some of the Challenges



- ⌘ **Restore confidence in climate science**
- ⌘ **Improve policy-relevance, without becoming policy-prescriptive**
- ⌘ **Innovate to allow easier « updating »**
- ⌘ **Improve quality and readability**
- ⌘ **Provide elements of answer to difficult/new questions**
- ⌘ **Improve collaboration between WG**
- ⌘ **Improve developing countries participation**

Jointly Organized Meetings/Workshops

- Joint WGI / WGII Expert Meeting on Detection and Attribution related to Anthropogenic Climate Change (09/09)
- Joint WGI / WGII Expert Meeting on Assessing and Combining Multi-Model Climate Projections (01/10)
- Joint WG II / WG III Expert Meeting on Human Settlement and Infrastructure (postponed to early 2011)
- Joint WG II / WG III Workshop on Socioeconomic Scenarios for Climate Change Impact and Response Assessments (11/10)
- Joint WGI / WGII Expert Meeting on Impacts of Ocean Acidification on Marine Biology and Ecosystems (01/11)
- Joint WGII / WGIII Expert Meeting on Economic Analysis, Costing Methods, and Ethics (03/11)

Independent Review: Set Up

- On the request of IPCC Chairman Rajendra Pachauri and UN Secretary-General Ban Ki-moon.
- Executed by InterAcademy Council (IAC).
- Review of IPCC principles, procedures, management structures and the IPCC scenario process (“honest broker“ role).
- The report will be published Aug. 30 and considered by the IPCC Plenary in October 2010.

Coming IPCC Products

- ⌘ **2010: Special report on Renewable Energy Sources and Climate Change Mitigation**
- ⌘ **2011: Special Report on Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation**
- ⌘ **2013: AR5 WGI report (physical science)**
- ⌘ **2014: AR5 WGII (Impacts & Adaptation); WGIII (Mitigation), Synthesis Report**

Useful links:



⌘ www.ipcc.ch : IPCC

⌘ www.climate.be/vanyp : my slides and other documents, including the PNAS paper)

⌘ My e-mail: vanyp@climate.be